

Bleeds - We can not guarantee perfect bleeds. Slight variation occurs naturally in the die cutting & folding process. For best results, allow 1/8" tolerance. The quality of the printed stock directly affects the process; with press bounce & missing side guidelines having a negative impact on the quality of the printed stock. Grain direction is critical for Profile Dies.

Knockouts - Please keep knockout areas free of inks and varnishes, as they may cause glue to fail. Varnishing the sheet can be helpful in protecting heavy ink coverage from marking during converting.

Guide and Gripper - Please mark and if running a full flood please add gripper and color bar dimensions to the sheet size. Print Fold Marks on sheet. Do not print Die Marks.


Trim - Exact adherence to die layout reduces the need for trim before die cutting. Position layout at one edge of press sheet using 1 up sheet size as guide, do not center layouts on press sheet. Critical designs may still require trim to insure folding tolerances.

Inside Tints - Please call for special layout.



TEL 206 784.0904 800 843.2095
 FAX 206 782.3504
 4700 9th AVENUE NW SEATTLE, WA 98107
 www.seattleenvelope.com

Outside View
3-5/8 X 6-1/2 Side Seam Layout
Die #279
1up Sheet: 11 x 8-3/4
Grain Long



Flap seals to this area.
 Information printed here may be damaged upon opening

NO INK

FOLD MARKS

NO INK

3-1/2



TEL 206 784.0904 800 843.2095
 FAX 206 782.3504
 4700 9th AVENUE NW SEATTLE, WA 98107
 www.seattleenvelope.com

Outside View
3-5/8 X 6-1/2 Side Seam Layout
Die #279
1up Sheet: 11 x 8-3/4
Grain Long



Flap seals to this area.
 Information printed here may be damaged upon opening

NO INK

FOLD MARKS

NO INK

Bleeds - We can not guarantee perfect bleeds. Slight variation occurs naturally in the die cutting & folding process. For best results, allow 1/8" tolerance. The quality of the printed stock directly affects the process; with press bounce & missing side guidelines having a negative impact on the quality of the printed stock. Grain direction is critical for Profile Dies.

Knockouts - Please keep knockout areas free of inks and varnishes, as they may cause glue to fail. Varnishing the sheet can be helpful in protecting heavy ink coverage from marking during converting.

Guide and Gripper - Please mark and if running a full flood please add gripper and color bar dimensions to the sheet size. Print Fold Marks on sheet. Do not print Die Marks.

Trim - Exact adherence to die layout reduces the need for trim before die cutting. Position layout at one edge of press sheet using 1 up sheet size as guide, do not center layouts on press sheet. Critical designs may still require trim to insure folding tolerances.

Inside Tints - Please call for special layout.



TEL 206 784.0904 800 843.2095
 FAX 206 782.3504
 4700 9th AVENUE NW SEATTLE, WA 98107
 www.seattleenvelope.com

Outside View
3-5/8 X 6-1/2 Side Seam Layout
Die #279
1up Sheet: 11 x 8-3/4
Grain Long



Flap seals to this area.
 Information printed here may be damaged upon opening

NO INK

FOLD MARKS

NO INK

Bleeds - We can not guarantee perfect bleeds. Slight variation occurs naturally in the die cutting & folding process. For best results, allow 1/8" tolerance. The quality of the printed stock directly affects the process; with press bounce & missing side guidelines having a negative impact on the quality of the printed stock. Grain direction is critical for Profile Dies.

Knockouts - Please keep knockout areas free of inks and varnishes, as they may cause glue to fail. Varnishing the sheet can be helpful in protecting heavy ink coverage from marking during converting.

Guide and Gripper - Please mark and if running a full flood please add gripper and color bar dimensions to the sheet size. Print Fold Marks on sheet. Do not print Die Marks.


Trim - Exact adherence to die layout reduces the need for trim before die cutting. Position layout at one edge of press sheet using 1 up sheet size as guide, do not center layouts on press sheet. Critical designs may still require trim to insure folding tolerances.

Inside Tints - Please call for special layout.



TEL 206 784.0904 800 843.2095
 FAX 206 782.3504
 4700 9th AVENUE NW SEATTLE, WA 98107
 www.seattleenvelope.com

Outside View
3-5/8 X 6-1/2 Side Seam Layout
Die #279
1up Sheet: 11 x 8-3/4
Grain Long



Flap seals to this area.
 Information printed here may be damaged upon opening

NO INK

FOLD MARKS

NO INK

3-1/2



TEL 206 784.0904 800 843.2095
 FAX 206 782.3504
 4700 9th AVENUE NW SEATTLE, WA 98107
 www.seattleenvelope.com

Outside View
3-5/8 X 6-1/2 Side Seam Layout
Die #279
1up Sheet: 11 x 8-3/4
Grain Long



Flap seals to this area.
 Information printed here may be damaged upon opening

NO INK

FOLD MARKS

NO INK

Bleeds - We can not guarantee perfect bleeds. Slight variation occurs naturally in the die cutting & folding process. For best results, allow 1/8" tolerance. The quality of the printed stock directly affects the process; with press bounce & missing side guidelines having a negative impact on the quality of the printed stock. Grain direction is critical for Profile Dies.

Knockouts - Please keep knockout areas free of inks and varnishes, as they may cause glue to fail. Varnishing the sheet can be helpful in protecting heavy ink coverage from marking during converting.

Guide and Gripper - Please mark and if running a full flood please add gripper and color bar dimensions to the sheet size. Print Fold Marks on sheet. Do not print Die Marks.

Trim - Exact adherence to die layout reduces the need for trim before die cutting. Position layout at one edge of press sheet using 1 up sheet size as guide, do not center layouts on press sheet. Critical designs may still require trim to insure folding tolerances.

Inside Tints - Please call for special layout.